



WORLDS THINNEST DIGITAL SIGNAGE SOLUTION



DIGITAL CANVAS



OUTDOOR





REAL LCD POSTER 26.5" & 49" FOR RETAIL SIGNAGE APPLICATIONS



ZYGNAGE Digital Canvas Screens are optimized for Indoor Digital Signage. The incredible thickness of 13.9mm allows installations in shopping windows and narrow spaces. Due to the extremely advanced anti-glare coating, the screens perform perfectly in bright environments. The integrated Android Mediaplayer turns the screen into an All-In-One Solution.

EXTRA SLIM & LIGHT DESIGN

The Digital Canvas signage is easy to install due to the slim design (13.9mm), flat back structure and simple wall mount bracket.

VIVID CONTENT VIEWING



The IPS panel has a wide viewing angle that delivers clear image & video, no matter where in the room. Moreover, Anti-glare coating on the screen reduces reflection for better visibility.

HIGH RESOLUTION & WIDE COLOR GAMUT

The features of high resolution, allowing users to view details without distortion even on the screen. Moreover, wide color reproduction range by applying the color support technology, which allows us to express precise natural colors on the screen.

SMART IOT SYSTEM

The Digital Canvas can easily display photos, painting and videos through Wi-Fi and an app. You can upload and change the content anytime, anywhere.



SLIM & LIGHT DESIGN

Thickness 13.9 mm (26.5"/49")
Weight 3.2 Kg (26.5") / 11.2 Kg (49")

HIGH RESOLUTION

26.5" QHD (1920x1920px)
49" FHD (1920x1080px)

BRIGHT IPS PANEL

Wide Viewing Angle R/L/U/D 178°
Brightness 450 cd/m2

WIDE COLOR GAMUT

Natural Colors on the Screen
NTSC > 92% (26.5")
NTSC > 88% (49")

FULL CONNECTIVITY

WiFi & Bluetooth 4.0
Mini HDMI, Micro USB

NARROW BEZEL

Slim Even Bezel
9.9 mm (26.5")
12.3 mm (49")

INTEGRATED MEDIAPLAYER

Android 5.1
Quad-Core @ 1.5GHz
2GB RAM / 8GB ROM

EYE CARE SUPPORT

Surface Treatment
Anti-Glare > 25%

ENERGY EFFICIENCY

Low Power Consumption
58W (26.5")
85W (49")

NEW**HIGH-BRIGHTNESS OUTDOOR****55"****Slim & Light Design**

Thickness 56 mm
Weight 40 Kg

High Brightness

Brightness 2000 nits
Contrast Ratio 1300:1

Outdoor Proof

IP65 Weatherproof
-20°C to 50°C

**SCREEN
SOURCE****EUROPE**

ScreenSource GmbH
Waldenserstr. 2-4
10551 Berlin
Germany

CONTACT

Jörg Pritz - Product Manager
T: +49 (0) 30 55573090
E: sales@screensource.io
W: www.screensource.io